

Author Index

- Alexander, P.W., see Yang, X. 387
- Allmaier, G., see Linnemayr, K. 187
- Arnaud, P., see Gianazza, E. 67
- Bárány, K., see Bárány, M. 33
- Bárány, M.
—, Bárány, K. and Giometti, C.S.
Gel electrophoresis for studying biological function 33
- Basly, I., see Basly, J.P. 373
- Basly, J.P.
—, Basly, I. and Bernard, M.
Electron spin resonance identification of irradiated ascorbic acid: Dosimetry and influence of powder fineness 373
- Bernard, M., see Basly, J.P. 373
- Bjarnason, B.
—, Johansson, P. and Johansson, G.
A novel thermal biosensor: evaluation for determination of urea in serum 341
- Bond, A.M.
—, Kratsis, S. and Newman, O. .G.
Combined use of differential pulse adsorptive and anodic stripping techniques for the determination of antimony(III) and antimony(V) in zinc electrolyte 307
- Bordin, G., see Virtanen, V. 231
- Bossi, A., see Righetti, P.G. 1
- Brynn Hibbert, D., see Yang, X. 387
- Buchacher, A., see Pock, K. 219
- Campiglia, A.D.
— and Vo-Dinh, T.
Rapid screening method for cocaine and benzoylecgonine in saliva samples 349
- Canals, A., see Cuesta, A. 399
- Cash, P.
Characterisation of bacterial proteomes by two-dimensional electrophoresis 121
- Chen, S.-F., see Li, Y.-C. 365
- Cserhádi, T., see Rodríguez, P. 411
- Cuesta, A.
—, Todolí, J.L., Mora, J. and Canals, A.
Rapid determination of chemical oxygen demand by a semi-automated method based on microwave sample digestion, chromium(VI) organic solvent extraction and flame atomic absorption spectrometry 399
- Cukrowski, I.
— and Luckay, R.C.
A differential pulse polarographic study of bismuth^{III} complexes with macrocyclic ligands 1,4,7,10-tetraazacyclododecane and 1,4,7,10-tetrakis (2-hydroxypropyl)-1,4,7,10-tetraazacyclododecane. An out-of-cell determination of stability constants of polarographically active and inactive bismuth complexes at fixed ligand to metal ratio and various pH values 323
- de Armas, R., see Estrella Legaz, M. 201
- de los Ríos, V., see Estrella Legaz, M. 201
- Deyl, Z., see Hamrníková, I. 257
- Eberini, I., see Gianazza, E. 99
- Estrella Legaz, M.
—, Pedrosa, M.M., de Armas, R., Rodríguez, C.W., de los Ríos, V. and Vicente, C.
Separation of soluble glycoproteins from sugarcane juice by capillary electrophoresis 201
- Forgács, E., see Rodrigues, P. 411
- Gauglitz, G., see Rathgeb, F. 333
- Ghous, T.
— and Townshend, A.
Flow injection determination of neostigmine and galanthamine by immobilised acetylcholinesterase inhibition 379
- Gianazza, E.
— and Arnaud, P.
Applications of gel electrophoresis in the determination of protein-low M_r substances and protein-protein interactions 67
—, Eberini, I., Santi, O. and Vignati, M.
Denaturant-gradient gel electrophoresis: technical aspects and practical applications 99
- Giometti, C.S., see Bárány, M. 33
- Griess, G.A., see Serwer, P. 299
- Gyorffy, E., see Idei, M. 273
- Hamrníková, I.
—, Mikšik, I., Uhrová, M. and Deyl, Z.
Ultraviolet detector response of glycine and alanine homopeptides: Some specific features in capillary electrophoresis 257

- Hayakawa, K.
—, Hirano, M., Oizumi, J. and Hosoya, M.
Isoelectric focusing of biotinidase and lipoamidase with the addition of non-ionic detergent 281
- Hirano, M., see Hayakawa, K. 281
- Hollósy, F., see Idei, M. 273
- Hosoya, M., see Hayakawa, K. 281
- Idei, M.
—, Seprodi, J., Gyorffy, E., Hollósy, F., Vadász, Z., Mészáros, G., Teplán, I. and Kéri, G.
Micellar electrokinetic chromatography of highly hydrophobic peptides 273
- Ilangovan, G., see Zen, J.-M. 315
- Jiang, S.-J., see Li, Y.-C. 365
- Johansson, G., see Bjarnason, B. 341
- Johansson, P., see Bjarnason, B. 341
- Josic, D., see Linnemayr, K. 187
- Josic, D., see Pock, K. 219
- Jungbauer, A., see Pock, K. 219
- Kéri, G., see Idei, M. 273
- Kannicht, C., see Pock, K. 219
- Kaplan, B.
Application of polyacrylamide slab gel electrophoresis to the analysis and small-scale purification of amyloid proteins 161
- Kimura, M., see Minami, T. 241
- Kratsis, S., see Bond, A.M. 307
- Kubo, K., see Minami, T. 241
- Löster, K., see Pock, K. 219
- Li, B., see Qin, W. 357
- Li, Y.-C.
—, Jiang, S.-J. and Chen, S.-F.
Determination of Ge, As, Se, Cd and Pb in plant materials by slurry sampling-electrothermal vaporization-inductively coupled plasma-mass spectrometry 365
- Linnemayr, K.
—, Rizzi, A., Josic, D. and Allmaier, G.
Comparison of microscale cleaning procedures for (Glyco) proteins prior to positive ion matrix-assisted laser desorption ionization mass spectrometry 187
- Liu, S., see Qin, W. 357
- Luckay, R.C., see Cukrowski, I. 323
- Mészáros, G., see Idei, M. 273
- Marshall, T.
— and Williams, K.M.
High resolution two-dimensional electrophoresis of human urinary proteins 147
- Marshall, T., see Williams, K.M. 249
- Meisel, H.
— and Olieman, C.
Estimation of calcium-binding constants of casein phosphopeptides by capillary zone electrophoresis 291
- Michaud, D.
Gel electrophoresis of proteolytic enzymes 173
- Mikšik, I., see Hamříková, I. 257
- Minami, T.
—, Tohno, Y., Okazaki, Y., Kubo, K., Otaki, N. and Kimura, M.
Quantitation of metallothionein isoforms in mouse liver on capillary zone electrophoresis 241
- Morais, H., see Rodrigues, P. 411
- Mora, J., see Cuesta, A. 399
- Mota, T., see Rodrigues, P. 411
- Newman, O. G., see Bond, A.M. 307
- Nokihara, K.
Procedures leading to primary structure determination of proteins in complex mixtures by gel electrophoresis and modern micro-scale analyses 21
- Oizumi, J., see Hayakawa, K. 281
- Okazaki, Y., see Minami, T. 241
- Olieman, C., see Meisel, H. 291
- Olivera, S., see Rodrigues, P. 411
- Otaki, N., see Minami, T. 241
- Pedrosa, M.M., see Estrella Legaz, M. 201
- Phillips, T.M.
Determination of in situ tissue neuropeptides by capillary immunoelectrophoresis 209
- Pock, K.
—, Jungbauer, A., Kannicht, C., Löster, K., Buchacher, A. and Josic, D.
Electrophoretic analyses of clotting factor VIII concentrates 219
- Qin, W.
—, Zhang, Z., Li, B. and Liu, S.
Chemiluminescence flow-sensing system for hydrogen peroxide with immobilized reagents 357
- Rathgeb, F.
— and Gauglitz, G.
Dyeless optical detection of ammonia in the gas phase using pH-responsive polymers with reflectometric interference spectroscopy 333
- Righetti, P.G.
— and Bossi, A.
Isoelectric focusing of proteins and peptides in gel slabs and in capillaries 1
- Rizzi, A., see Linnemayr, K. 187
- Rodríguez, C.W., see Estrella Legaz, M. 201
- Rodrigues, P.
—, Morais, H., Mota, T., Olivera, S., Forgács, E. and Cserháti, T.
Use of HPLC and multivariate methods for the evaluation of the stability of colour pigments of paprika (*Capsicum annuum*) powder 411
- Santi, O., see Gianazza, E. 99
- Seprodi, J., see Idei, M. 273

- Serwer, P.
— and Griess, G.A.
Adaptation of pulsed-field gel electrophoresis for the improved fractionation of spheres 299
- Teplán, I., see Idei, M. 273
- Todolí, J.L., see Cuesta, A. 399
- Tohno, Y., see Minami, T. 241
- Townshend, A., see Ghous, T. 379
- Uhrová, M., see Hamrníková, I. 257
- Vadász, Z., see Idei, M. 273
- Vicente, C., see Estrella Legaz, M. 201
- Vignati, M., see Gianazza, E. 99
- Virtanen, V.
— and Bordin, G.
Isoform separation of metallothioneins by capillary zone electrophoresis with Tris-tricine buffer in the presence or absence of methanol 231
- Vo-Dinh, T., see Campiglia, A.D. 349
- Wang, W.-M., see Zen, J.-M. 315
- Williams, K.M.
— and Marshall, T.
Electrophoretic characterisation of the major cat parotid salivary protein 249
- Williams, K.M., see Marshall, T. 147
- Yamaoka, T.
Pore gradient gel electrophoresis: theory, practice, and applications 91
- Yang, X.
—, Brynn Hibbert, D. and Alexander, P.W.
Flow injection potentiometry by poly(vinyl chloride)-membrane electrodes with substituted azacrown ionophores for the determination of lead(II) and mercury(II) ions 387
- Zen, J.-M.
—, Wang, W.-M. and Ilangoan, G.
Adsorptive potentiometric stripping analysis of dopamine on clay-modified electrode 315
- Zhang, Z., see Qin, W. 357